

	Bank Holiday Monday 2/6/2014
Operator (write name)	DAVID FARRELL
Date, Time	11:00am 2/6/2014
Weather today (circle any)	Much rain <u>Some rain</u> No rain <u>Warm</u> Cool Windy
Past 2 weeks	Much rain <u>Some rain</u> No rain <u>Warm</u> Cool Windy
Sampling event (circle)	<u>Routine</u> Delayed Early See comment

Source	Date Start	Date End
	Monitoring period DD.MM.YYYY	
DP	19.5.2014	2-6-2014
DT	19.5.2014	2-6-2014

10:50  
washed  
@ 1:45pm

Comments All 1 Litre's bottles used, but 1 left Jim  
If you want to bring some for next day's sampling  
Samples and paperwork to fridge for collection,  
2 of each.

Supplies	In stock at Doory	Required from UCD
250 mL bottles		
White 5L bottles		
White Funnels		
Filters	Need filters also.	
Field sheets	Need Field Sheet's Jim	

UCD use	
Checked by, date	
Action on comments	

Sampler	OK	250 mL sub-sample	Funnel & 5 L bottle Reused	Funnel & 5 L bottle Replaced	Filter replaced	Contamination
	✓*	✓-	✓		✓	×
DP1	✓	✓720mm	✓	NO.	NO	NO
DP2	✓	750mm	✓	NO	NO	NO.
DP3	✓	720mm	✓	NO	NO	NO
DT1	✓	560 ml	✓	NO	NO	NO
DT2	✓	290 ml	✓	NO	NO	NO
DT3	✓	270 ml	✓	NO	NO	NO.
DT4	✓	440 ml	✓	NO	NO	NO
DT5	✓	620 ml	✓	NO	NO	NO
DT6	✓	515 ml	✓	NO	NO	NO.
DT7	✓	385 ml	✓	NO	NO	NO.
DT8	✓	455 ml	✓	NO	NO	NO
DT9	✓	480 ml	✓	NO	NO	NO.
DT10	✓	360 ml	✓	NO	NO	NO.
DT11	✓	485 ml	✓	NO	NO	NO
DT12	✓	430 ml	✓	NO	NO	NO.
DT13	✓	625 ml	✓	NO	NO	NO
DT14	✓	720 ml	✓	NO	NO	NO
DT15	✓	715 ml	✓	NO	NO	NO.
DT16	✓	630 ml	✓	NO	NO	NO.
DT17	✓	730 ml	✓	NO	NO	NO.
DT18	✓	570 ml	✓	NO	NO	NO
DT19	✓	320 ml	✓	NO	NO	NO
DT20	✓	650 ml.	✓	NO	NO	NO