

ForSite: Doory Monitoring Field Sheet

Date (dd/mm/yy): 31/12/2014 Time (hh:mm): 10:30

Operator: Phil Recent Weather: Drizzle + Freezing Cold

Forest Plot	Sample collected? ✓✗	replaced?		Vol (ml)	Notes (bird droppings, insects or leaves in bottle or funnel, overflowing)
		Funnel ✓✗	Bottle ✓✗		
DT1	<u>1260 ✓</u>	<u>✓</u>	<u>✓</u>	<u>1260</u>	<u>Needles + insects in funnel</u>
DT2	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>910</u>	<u>"</u>
DT3	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>910</u>	<u>"</u>
DT4	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>895</u>	<u>"</u>
DT5	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>880</u>	<u>"</u>
DT6	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>860</u>	<u>"</u>
DT7	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>840</u>	<u>"</u>
DT8	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>980</u>	<u>"</u>
DT9	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>535</u>	<u>"</u>
DT10	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>820</u>	<u>"</u>
DT11	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>680</u>	<u>"</u>
DT12	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>540</u>	<u>"</u>
DT13	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>900</u>	<u>"</u>
DT14	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>880</u>	<u>"</u>
DT15	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>660</u>	<u>"</u>
DT16	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>825</u>	<u>"</u>
DT17	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>795</u>	<u>"</u>
DT18	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>820</u>	<u>"</u>
DT19	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>900</u>	<u>"</u>
DT20	<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>755</u>	<u>"</u>

DT: Total volume (mls): <u>16685</u>	# collectors: <u>20</u>	Average = <u>834.25</u>
--------------------------------------	-------------------------	-------------------------

ForSite: Doory Monitoring Field Sheet

Open Site	Sample taken? ✓*	replaced?		Vol (ml)	Notes (bird droppings, insects etc)
		Funnel ✓*	Bottle ✓*		
DP1	✓	✓	✓	990	insect in bottle
DP2	✓	✓	✓	970	
DP3	✓	✓	✓	1000	

DP: Total volume (mls): **2960** # collectors: **3** | Average = **986**

Other Comments (e.g. if any equipment needs replacing etc)

N.A.

Samples sent to UCD ✓*	date
Bottles & funnels sent to UCD ✓*	date

For Lab Use:				
	conductivity	pH	date & time	lab operator
DP	11.34 μ S (@15°C)	6.49		Phil
DT	23.31 μ S (@16°C)	6.71		Phil