

Dooary Fieldsheet

18-3-16

ForSite

Precipitation	Sampled? ✓✗	replaced?		Vol (mL)	Contamination
		Funnel ✓✗	Bottle ✓✗		
DP1	✓	✓	✓	740	No
DP2	✓	✓	✓	760	No
DP3	✓	✓	✓	720	No
DP4					
Total	#			2320 mL	# 2320
Analysable	#			1000 mL	1000
		Subsampled bottles to lab: #			500

Sampling comment, maintenance required:

Completed: *B. Doyle*

For Lab Use:	conductivity	@°C	pH	date	lab operator
DP	36.80	14.7	7.10	18-3-16	B. Doyle
DT	61.45	13.7	6.45	18-3-16	B. Doyle

Dooary Fieldsheet

ForSite

Sampling date: 18-3-16	Start-date: 29-2-16
Operator: B. Doyle	Recent Reather: DRy

Throughfall	Sampled? ✓*	replaced?		Vol (mL)	Contamination
		Funnel ✓*	Bottle ✓*		
DT1	✓	✓	✓	790	NO X
DT2	✓	✓	✓	520	NO X
DT3	✓	✓	✓	420	NO X
DT4	✓	✓	✓	480	NO X
DT5	✓	✓	✓	580	Yes ✓
DT6	✓	✓	✓	630	X NO
DT7	✓	✓	✓	380	X NO
DT8	✓	✓	✓	660	✓ NO X yes
DT9	✓	✓	✓	400	NO X
DT10	✓	✓	✓	480	NO X
DT11	✓	✓	✓	430	NO X
DT12	✓	✓	✓	400	NO X
DT13	✓	✓	✓	440	NO X
DT14	✓	✓	✓	600	NO X
DT15	✓	✓	✓	320	NO X
DT16	✓	✓	✓	560	NO X
DT17	✓	✓	✓	500	NO X
DT18	✓	✓	✓	580	NO X
DT19	✓	✓	✓	490	NO X
DT20	✓	✓	✓	600	NO X
Total	#			9020 mL #	9020
Analysable	#			1000 mL	1000
Subsampled bottles to lab: #				mL	500

This sheet will be published as http://forsite.ucd.ie/pdf/Dooary_Fieldsheet_yyyymmdd.pdf
 where yyyymmdd is the sampling date