

Sampling date: 13-3-17	Start date: 6-3-17
Operator: B Poyle	Recent Weather: Dry

Precipitation	Sampled ✓	Reused		Vol (mL)	Contamination X	Rain Gauge Open site (DR1)	
		Funnel ✓	Bottle ✓			Vol (mL)	Bottle replaced ✓
DP1	✓			50		7130	
DP2	✓			50			
DP3	✓			50			
Total	#			mL			
Subsampled bottles to lab: #				mL	160		

Throughfall	Sampled ✓	Reused		Vol (mL)	Contamination X
		Funnel ✓	Bottle ✓		
DT1				90	
DT2				40	
DT3				40	
DT4				30	
DT5				70	
DT6				80	
DT7				30	
DT8				50	
DT9				40	
DT10				30	
DT11				30	
DP12				30	
DT13				30	
DT14				50	
DT15				60	
DT16				20	
DT17				80	
DT18				40	
DT19				70	
DT20				40	
Total	#			10	
Subsampled bottles to lab: #				mL	850
				mL	250

Sampling comment, maintenance required:

Completed:

For Lab Use:	Conductivity	Temperature °C	pH	Date	Lab operator
DP	32.10	11.45	5.32	25/03	<i>[Signature]</i>
DT	41.19	12.00	4.62	25/03	

Prepared by: Antonio Cachinero Vivar	Date issued: 2017-02-22	Page 1 of 1
Approved by: Thomas Cummins	Review date: 2017-02-27	

This sheet will be published as [http://forsite.ucd.ie/pdf/Doory\\_Fieldsheet\\_yymmdd.pdf](http://forsite.ucd.ie/pdf/Doory_Fieldsheet_yymmdd.pdf), where yymmdd is the sampling date