

Roundwood Monitoring Field Sheet

ForSite

| | |
|-------------------------|----------------------|
| Sampling date: 19-12-16 | Start-date: 1-12-16 |
| Operator: B.O | Recent Reather: Fair |

| Throughfall | Sampled? ✓✗ | replaced? | | Vol (mL) | Contamination |
|------------------------------|-------------|-----------|-----------|-------------|---------------|
| | | Funnel ✓✗ | Bottle ✓✗ | | |
| RT1 | ✓ | ✓ | ✓ | 680 | ✓ |
| RT2 | | | | 750 | ✓ |
| RT3 | | | | 440 | Contaminated. |
| RT4 | | | | 550 | ✓ |
| RT5 | | | | 470 | ✓ |
| RT6 | | | | 890 | |
| RT7 | | | | 450 | ✓ |
| RT8 | | | | 370 | ✓ |
| RT9 | | | | 470 | |
| RT10 | | | | 330 | |
| RT11 | | | | 560 | ✓ |
| RT12 | | | | 400 | ✓ |
| RT13 | | | | 410 | |
| RT14 | | | | 420 | |
| RT15 | | | | 690 | |
| RT16 | | | | 410 | |
| RT17 | | | | 580 | |
| RT18 | | | | 230 | |
| RT19 | | | | 320 | |
| RT20 | | | | 560 | |
| RT21 | | | | 340 | |
| RT22 | | | | 620 | |
| RT23 | | | | 530 | |
| RT24 | | | | 600 | |
| RT25 | ✗ | ✗ | ✗ | — | |
| Total | # 24 | | | mL # 11 630 | |
| Analysable | # 23 | | | mL 1000 | |
| Subsampled bottles to lab: # | | | | mL | 250 |